

10/545215

11304/03179

R PCT/PTO 11 AUG 2004



INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

REC'D 07 DEC 2004

WIPO

PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.


Signed

Dated 12 October 2004

**PRIORITY
DOCUMENT**

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

BEST AVAILABLE COPY



The
**Patent
Office**

300CT03 E848298-1 D02824
P01/7700 0.00-0325312.7

The Patent Office

Cardiff Road
Newport
South Wales
NP10 8QQ

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form).

1. Your Reference

P.7263.GBA

2. Patent application number

(The Patent Office will fill in this part)

0325312.7

3. Full name, address and postcode of the or of each applicant (underline all surnames)

WATERLEAF LIMITED
1st Floor
28 Victoria Street
Douglas
IM1 2LE, GB

Patents ADP number (if you know it)

8230831002

If the applicant is a corporate body, give the country/state of its incorporation

ISLE OF MAN

4. Title of the invention

MULTIPLAYER GAMING SYSTEM AND METHOD OF OPERATION THEREOF

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

MAGUIRE BOSS
5 Crown Street
St. Ives
Cambridgeshire
PE27 5EB, G.B.

Patents ADP number (if you know it)

07188725001 ✓

6. Priority: Complete this section if you are declaring priority from one or more earlier patent applications, filed in the last six months

Country

Priority application number
(if you know it)

Date of filing
(day/month/year)

7. Divisionals etc: Complete this section only if this application is a divisional application or resulted from an entitlement dispute (see note f)

Number of earlier application

Date of filing
(day/month/year)

8. Is a Patents Form 7/77 (Statement of Invention and of right to grant of a patent) required in support of this request?

Yes

Answer YES if:

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body;
- Otherwise answer NO (See note d)

Patents Form 1/77

Patents Form 1/77

9. Accompanying documents: A patent application must include a description of the invention. Not counting duplicates, please enter the number of pages of each item accompanying this form:

Continuation sheets of this form

Description 37

Claims(s)

Abstract

Drawing(s)

13

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature(s)

MAGUIRE BOSS

Date: 30.10.03

12. Name, daytime telephone number and e-mail address, if any, of person to contact in the United Kingdom.

PETER MAGUIRE

Tel: 01480 301588
e-Mail: patents@magnires.co.uk

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'YES' in part 8, Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- f) Part 7 should only be completed when a divisional application is being made under section 15(4), or when an application is being made under section 8(3), 12(6) or 37(4) following an entitlement dispute. By completing part 7 you are requesting that this application takes the same filing date as an earlier UK application. If you want the new application to have the same priority date(s) as the earlier UK application, you should also complete part 6 with the priority details.

5

10

15 MULTIPLAYER GAMING SYSTEM AND METHOD OF OPERATION THEREOF

FIELD OF THE INVENTION

20 This invention relates to a multiplayer gaming system for playing a game, more specifically, a multiplayer game and, more particularly, to a multiplayer gaming system for playing a multiplayer game on which wagers may be placed. The invention extends to a method of operation of a multiplayer gaming system for playing a multiplayer game on which wagers may be placed.

25

BACKGROUND TO THE INVENTION

30 The game of poker is a multiplayer game that is widely played in many jurisdictions, particularly in the United States of America. In order to illustrate various advantageous features of multiplayer games, the basic rules of poker will be outlined briefly in the description that follows.

35 A traditional game of poker generally accommodates a minimum of 4 and a maximum of between 8 and 10 players. In a turn of the game, one of the participating players assumes the role of a dealer and deals five cards (an "initial

- 5 hand"), from a conventional deck of 52 playing cards, to each participating player, inclusive of the dealer. The playing cards in the initial hand are dealt face down to each player who does not, at this stage of the game, disclose the playing cards that have been dealt to him.
- 10 Each one of the players is then required to decide, in turn, whether to continue with his participation in the turn of the game (that is, to "play"), or to terminate his participation in the turn (that is, to "fold"), as a function of the playing cards in his initial hand. Any player who decides to fold does not participate any longer in the turn of the game. If all participating players decide to fold, the turn of the game
- 15 terminates. The first player to decide to play is required to make an opening wager on the turn of the game. Any other player who subsequently also decides to play in the turn of the game is required to match or to increase ("raise") the size of the opening wager. When the size of the opening wager is raised, players who have made prior opening wagers are required to top up their wagers to
- 20 match the size of the largest opening wager made by any player who has elected to play in the turn of the game. This phase of the turn of the game continues until every player who desires to play in that turn has made an equivalent opening wager.
- 25 All the wagers made by each of the players are accumulated in a single jackpot ("the pot").

At this stage of the game, each player who has decided to play may, in turn, then decide to retain (that is, to "hold") any number of the cards in his initial hand.

- 30 Once a player has decided which, if any, of the five cards to hold, the player may then "draw", in which the remaining cards of the initial hand are discarded and are replaced by an equivalent number of further cards dealt by the dealer from the deck of playing cards. This phase of the game will be referred to, for convenience, as the drawing phase. If the player does not hold any of the cards,
- 35 In his initial hand, he is then effectively dealt an entirely new hand of five cards at the drawing phase of the game. On the other hand, if a particular player holds all

- 5 of the five cards in his initial hand, he does not participate in the drawing phase, but still continues to play in the turn of the game.

Once the drawing phase of the game has been completed, each player evaluates the five cards he has accumulated in the manner described above in order to
10 determine whether they contain any one of a number of desirable combinations of playing cards. The desirability of any combination of playing cards is inversely proportional to the probability of being dealt that particular combination of cards.

After completion of the drawing phase of a turn of the game and evaluation of the
15 playing cards, all of the players who have previously decided to play in the particular turn of the game are then again required to decide, in turn, as a function of the playing cards they have accumulated in the manner described above, whether to continue playing or to fold. Any player who decides to fold does not participate any further in the particular turn of the game and forfeits all
20 wagers he has made in that turn. The first player who makes an opening wager may, if he decides to play, make a supplementary wager on the turn of the game. Any other player who also decides to play is required to match or to raise the size of the supplementary wager. Players who have previously made supplementary wagers are required to top up their supplementary wagers to match the size of
25 the largest supplementary wager. This phase of the particular turn of the game continues until every player who has not folded has made an equivalent supplementary wager. This stage of the game will be referred to, for convenience, as the supplementary wagering stage.

- 30 The supplementary wagers made by each of the players who have decided to continue playing in the particular turn of the game are added to the pot.

Once the supplementary wagering stage of the turn of the game has been completed, the players who remain in the game reveal the playing cards in their
35 hands. The hands are compared, and the player with the highest-ranking desirable hand wins the accumulated pot.

5

The rules of the game of poker have been described with particular reference to a variation of the game known as "draw poker". There are many other variations of the game of poker that are not germane to the essence of the invention and that will not, for this reason, be described here in detail.

10

It will be appreciated by those skilled in that art that the game of poker is a zero-sum game insofar as, in each turn of the game, a gain of the winner is equal to accumulated losses of the other players in the game. It is, however, also known for a party who arranges or hosts a game of poker to levy a commission ("a rake") on the players or on the accumulated jackpot in order to obtain revenue.

15

The game of poker is played at both land-based venues and on-line, in the latter instance by means of the of the Internet. Where the game is played on-line, a software program spawns multiple instances of the game, each instance being known as a "poker room", to accommodate players wishing to participate in the game. Thus, any instance of the game, or poker room, accommodates participating players who may be geographically remote from each other. The software program offers the participating players with various artifices such as, for example, a chat facility, which allow the players to interact with each other, thereby establishing a sense of community such as would be found at a game being played at a land-based venue.

20

25

The game of slots is probably the most popular and widely played single-player casino game available to players. The most common game of slots is found in a simple three-reel slot machine. Each reel of the slot machine has, say, 30 indexed positions, some or all of which may display a corresponding indicium. A player of the slot machine is required to place a wager on an outcome of the casino game by introducing coins, tokens or credit into the slot machine, which then enables each of the three reels to be spun and to come to rest at any of the indexed positions. An outcome of the game is determined as a function of a combination of the three resulting indexed rest positions. Several outcomes of

30

35

5 the game usually result in the player being awarded corresponding prizes, one particular outcome causing the player to win a jackpot prize. A slot machine with the particular characteristics described above has a jackpot cycle of 27 000, which means that, on average, 27 000 outcomes of the game must be determined in order for the jackpot to be won by the player.

10

The three reel slot machine described above may be a free-standing electro-mechanical or electronic machine suitable for use in a land-based venue, or may, alternatively, be an on-line implementation, where the three reels of the slot machine are simulated on a display monitor, while an outcome of the game is derived from a random number generator implemented in software. It will be appreciated that the game of slots is a single-player game, unlike the game of poker described above. Although banks of slot machines may be found in land-based casinos, each player at such a bank of machines is playing the game individually for himself. An advantage of such single-player games is that of rapid
20 play and the immediacy of a result in a turn of a game.

It is desirable to combine the immediacy of a single-player casino game with the community aspects that are obtainable in a multiplayer poker game.

25

OBJECT OF THE INVENTION

It is an object of this invention to provide a multiplayer gaming system and a method of operation thereof that will, at least partially, enable a single-player
30 game to be played in a multiplayer environment.

35

5 SUMMARY OF THE INVENTION

In accordance with this invention there is provided a multiplayer gaming system usable by a number of participating players to play a multiplayer game, comprising:

- 10 a plurality of player stations, each player station being usable by a respective participating player to play a separate instance of a same single-player game having a plurality of possible results, the player station enabling the participating player to place a wager on an outcome of the multiplayer game; and
15 an administration facility communicable with each one of the plurality of player stations

characterised in that

- the administration facility is operable to determine an outcome of the multiplayer game as a function of the combined results of the separate instances of the single-player game played at the plurality of player stations, the outcome of the
20 multiplayer game being either a favourable outcome if at least one participating player is determined by the administration facility as being a winner of the multiplayer game, or an unfavourable outcome in which none of the participating players is determined as being a winner.

- 25 Further features of the invention provide for a single turn of the multiplayer game to include at least one corresponding turn of an instance of the single-player game at each one of the plurality of player stations in use by a participating player, for the administration facility to determine an outcome of a turn of the multiplayer game only after completion of at least one turn of an instance of the
30 single-player game for each participating player, respectively, for the administration facility to award a prize to the at least one winning player when the outcome of the turn of the multiplayer game is a favourable outcome, for the administration facility to accumulate, in each separate turn of the multiplayer game, all wagers by the participating players in an accumulation account, for the
35 administration facility to establish a prize pool whose contents are a function of the outcomes of the separate instances of the single-player game played at the

- 5 plurality of player stations, for the prize awarded to the at least one winning
player to be the contents of the accumulation account, preferably the contents of
the accumulation account less a service fee retained by an operator of the
multiplayer gaming system, alternatively for the prize awarded to the at least one
winning player to be the contents of a prize pool, the contents of the
10 accumulation account being retained by the operator of the gaming system to
fund the prize pool, and for the contents of either of the accumulation account
and the prize pool to be shared when the accumulation facility determines a
plurality of winners in the turn of the multiplayer game.
- 15 Still further features of the invention provide for any instance of the single-player
game to have a plurality of successful results, each associated with a
corresponding value, for the plurality of successful results to be in ranked order,
from least successful to most successful, for the administration facility to
determine the at least one winner of the multiplayer game to be a participating
20 player who obtains a highest-ranking successful result in a corresponding turn of
a respective instance of the single-player game, for the administration facility to
determine the outcome of the turn of the multiplayer game to be a tie when two
or more participating players obtain a same highest-ranking successful result of
the corresponding turn of their respective instances of the single-player game or
25 when none of the participating players obtain a successful result of the
corresponding turn of their respective instances of the single-player game, for the
administration facility to determine the tie as an unfavourable outcome of the
multiplayer game and to carry over the contents of the accumulation account to a
next turn of the multiplayer game, alternatively for the administration facility to
30 determine the tie as a favourable outcome of the multiplayer game and to cause
the contents of the accumulation account to be shared between the tied players,
for the administration facility to carry over the contents of the accumulation
account to a next turn of the multiplayer game, for the administration facility to
augment the contents of the accumulation account with player wagers from the
35 next turn of the multiplayer game in the event of a carry over, for the
administration facility to carry over the contents of the accumulation account a

- 5 next turn of the multiplayer game for a maximum of five consecutive ties, and for the administration facility to automatically determine the outcome of a turn of the multiplayer game as a favourable outcome upon the occurrence of a sixth consecutive tie.
- 10 Yet further features of the invention provide for each player station to display the progress of each instance of the single-player game played by all the participating players, for a turn of each instance of the single-player game to be played sequentially, alternatively simultaneously, and for each successful result of an instance of the single-player game to be associated with a corresponding
- 15 prize that is independent of the contents of the accumulation account.

There is also provided for the administration facility to award a prize to each participating player when a highest ranking successful result occurs in a turn of an instance of the single-player game of any participating player, alternatively

20 when any one of three highest-ranking successful results occurs in a turn of an instance of the single-player game of any participating player, and for the prizes awarded by the administration facility to be independent of the contents of the accumulation account.

- 25 There is further provided for each instance of the single-player game to have a bonus result, the occurrence of which enables the participating player in whose instance of the single-player game the bonus result occurred, to participate in the next turn of the multiplayer game without placing a wager, alternatively for that player's wager on the next turn of the multiplayer game to be paid by the operator
- 30 of the multiplayer gaming system, further alternatively for the occurrence of the bonus result to cause the participating player to win a monetary prize.

There is still further provided for each successful result of the single-player game to have an associated points value, for a single turn of the multiplayer game to

35 include a plurality, preferably 5, of turns of the single-player game for each participating player, for the administration facility to accumulate, for each

5 participating player, points associated with any successful result occurring in that
player's plurality of turns in that player's instance of the single-player game, and
for the administration facility to determine the winner of the turn of the multiplayer
game to be the participating player or participating players with the greatest
accumulated point value, and for the administration facility to award the winner of
10 the turn of the multiplayer game the contents of the accumulation account,
preferably the contents of the accumulation account less the service fee retained
by the operator of the multiplayer gaming system.

There is yet further provided for the administration facility to require each
15 participating player to decide, prior to commencement of each of the plurality of
turns in the single-player game, except the first, whether to continue with the
multiplayer game by increasing that player's wager, or to withdraw from the turn
of the multiplayer game, for the administration facility to accumulate in the
accumulation account the cumulative wagers of all participating players, and for
20 the administration facility to retain in the accumulation account the cumulative
wagers of any player who withdraws from the turn of the multiplayer game.

There is also provided for the single-player game to be any one of video slots or
video poker.

25

The invention extends to a method of operation of a multiplayer gaming system,
comprising the steps of:
enabling each one of a plurality of players to participate in a multiplayer game by
playing a separate instance of a same single-player game having a plurality of
30 possible results;
enabling each participating player to place a wager on an outcome of the
multiplayer game;
determine an outcome of the multiplayer game as a function of the combined
results of the separate instances of the single-player game, the outcome of the
35 multiplayer game being either a favourable outcome if at least one participating
player is determined as being a winner of the multiplayer game, or an

- 5 unfavourable outcome in which none of the participating players is determined as being a winner.

There is further provided for including in a single turn of the multiplayer game at least one corresponding turn of an instance of the single-player game for each
10 participating player, for determining an outcome of a turn of the multiplayer game only after completion of at least one turn of an instance of the single-player game for each participating player, respectively, for awarding a prize to the at least one winning player when the outcome of the turn of the multiplayer game is a favourable outcome, for accumulating, in each separate turn of the multiplayer
15 game, all wagers by the participating players in an accumulation account, for establishing a prize pool whose contents are a function of the outcomes of the separate instances of the single-player game, for awarding the prize to the at least one winning player as contents of the accumulation account, preferably the contents of the accumulation account less a service fee retained by an operator
20 of the multiplayer gaming system, alternatively for awarding the prize awarded to the at least one winning player as the contents of a prize pool, the contents of the accumulation account being retained by the operator of the gaming system to fund the prize pool, and for sharing the contents of either of the accumulation account and the prize pool when the accumulation facility determines a plurality
25 of winners in the turn of the multiplayer game.

There is still further provided for any instance of the single-player game to have a plurality of successful results, each associated with a corresponding value, for ranking the plurality of successful results in order, from least successful to most
30 successful, for determining the at least one winner of the multiplayer game to be a participating player who obtains a highest-ranking successful result in a corresponding turn of a respective instance of the single-player game, for determining the outcome of the turn of the multiplayer game to be a tie when two or more participating players obtain a same highest-ranking successful result of
35 the corresponding turn of their respective instances of the single-player game or when none of the participating players obtain a successful result of the

5 corresponding turn of their respective instances of the single-player game, for
determining the tie as an unfavourable outcome of the multiplayer game and
carrying over the contents of the accumulation account to a next turn of the
multiplayer game, alternatively for determining the tie as a favourable outcome of
the multiplayer game and causing the contents of the accumulation account to be
10 shared between the tied players, for carrying over the contents of the
accumulation account to a next turn of the multiplayer game, for augmenting the
contents of the accumulation account with player wagers from the next turn of the
multiplayer game in the event of a carry over, for carrying over the contents of the
accumulation account a next turn of the multiplayer game for a maximum of five
15 consecutive ties, and for automatically determining the outcome of a turn of the
multiplayer game as a favourable outcome upon the occurrence of a sixth
consecutive tie.

There is yet further provided for displaying to each participating player the
20 progress of each instance of the single-player game played by all the
participating players, for playing a turn of each instance of the single-player game
sequentially, alternatively simultaneously, and for associating each successful
result of an instance of the single-player game with a corresponding prize that is
independent of the contents of the accumulation account.

25 There is also provided for awarding a prize to each participating player when a
highest ranking successful result occurs in a turn of an instance of the single-
player game of any participating player, alternatively when any one of three
highest-ranking successful results occurs in a turn of an instance of the single-
30 player game of any participating player, and for awarding the prizes awarded
independently of the contents of the accumulation account.

There is also provided for any instance of the single-player game to have a
bonus result, for enabling a participating player in whose instance of the single-
35 player game the bonus result occurred, to participate in a next turn of the
multiplayer game without placing a wager, alternatively for the operator of the

5 multiplayer gaming system to pay that player's wager on the next turn of the
multiplayer game, further alternatively for awarding a monetary prize to the
participating player.

10 There is also provided associating a points value with each successful result of
the single-player game, for including, for each participating player, a plurality,
preferably 5, of turns of the single-player game in a single turn of the multiplayer
game for each participating player, for accumulating, for each participating
player, points associated with any successful result occurring in that player's
15 plurality of turns in that player's instance of the single-player game, and for
determining the winner of the turn of the multiplayer game to be the participating
player, or participating players, with the greatest accumulated point value, and for
awarding the winner of the turn of the multiplayer game the contents of the
accumulation account, preferably the contents of the accumulation account less
the service fee retained by the operator of the multiplayer gaming system.

20

There is also provided for requiring each participating player to decide, prior to
commencement of each of the plurality of turns in the single-player game, except
the first, whether to continue with the multiplayer game by increasing that player's
wager, or to withdraw from the turn of the multiplayer game, for accumulating in
25 the accumulation account the cumulative wagers of all participating players, and
for retaining in the accumulation account the cumulative wagers of any player
who withdraws from the turn of the multiplayer game.

30 **BRIEF DESCRIPTION OF THE DRAWINGS**

One embodiment of the invention is described below, by way of example only,
and with reference to the abovementioned drawings, in which:

35 Figure 1 is functional diagram of a multiplayer gaming system according to the
invention;

5

Figure 2 is a flow diagram of the steps required for a player to participate in a multiplayer game in the multiplayer gaming system of Figure 1;

10

Figure 3 is a flow diagram of the steps required for a participating player to leave an instance of the multiplayer game in the multiplayer gaming system of Figure 1; and

15

Figure 4 is a flow diagram of the steps required to settle wagers placed by participating players in the gaming system of Figure 1;

20

Figure 5 is a flow diagram of a "Pot Slot" variation of a multiplayer game playable on the multiplayer gaming system of Figure 1;

Figure 6 is a flow diagram of a "Pot Slot with Community Feature" variation of a multiplayer game playable on the multiplayer gaming system of Figure 1;

25

Figure 7 is a flow diagram of a "Winner Take All" variation of a multiplayer game playable on the multiplayer gaming system of Figure 1;

Figure 8 is a flow diagram of a "Community Slot" variation of a multiplayer game playable on the multiplayer gaming system of Figure 1;

30

Figure 9 is a flow diagram of a "Community Slot – Even Distribution" variation of a multiplayer game playable on the multiplayer gaming system of Figure 1;

Figure 10 is a flow diagram of a "Community Slot – 50/50" variation of a multiplayer game playable on the multiplayer gaming system of Figure 1;

35

Figure 11 is a flow diagram of a "Community Slot – 50 Pooled" variation of a multiplayer game playable on the multiplayer gaming system of Figure 1; and

5 Figure 12 is a flow diagram of a "Best of 5" variation of a multiplayer game playable on the multiplayer gaming system of Figure 1;

Figure 13 is a flow diagram of a "Chicken" variation of a multiplayer game playable on the multiplayer gaming system of Figure 1.

10

DETAILED DESCRIPTION OF THE INVENTION

Referring to Figures 1, a multiplayer gaming system is indicated generally by
15 reference numeral (1).

This embodiment of the invention will be described with particular reference to a multiplayer game that is based on multiple separate instances of a single-player game of video slots. It is to be clearly understood, however, that the invention
20 extends to include the use of multiple separate instances of other types of single-player games such as video poker, for example.

The multiplayer gaming system (1) includes a gaming server (2), and a number of portals (3a, 3b) in the form of portal websites on the World Wide Web of the
25 Internet. In this embodiment, each one of the portal websites is an online casino website hosted on a corresponding casino web server (not shown). For convenience, this particular embodiment of the invention will be described with particular reference to only two such online casino websites (3a, 3b). Each one of the online casino websites (3a, 3b) is accessible by a would-be video slots player
30 (not shown) through a player station (4) in the form of an Internet-enabled computer workstation having a display monitor (5) and an associated pointing device (5a) such as a mouse or, alternatively, a touchpad. In this embodiment, online casino website (3a) is shown as having one computer workstation (4) logically connected thereto, whereas casino website (3b) is shown as being
35 logically connected to two computer workstations (4). It will be appreciated by those skilled in the art that such online casino websites (3a, 3b) can be logically

5 connected to any desired number of such computer workstations (4) simultaneously, which number is physically limited only by considerations of processing power and Internet access bandwidth.

10 The apparatus (1) includes, further, an administration facility (12) in the form of an application web server, which is communicable with the gaming server (2) along a communication network (9). The detailed operation of the application web server (12) will be outlined in the description that follows.

15 The gaming server (2), the online casino web servers (not shown) corresponding to the online casino websites (3a, 3b), the computer workstations (4) and the application web server (12) are capable of communicating with each other by means of an open communication network that is, in this embodiment, the Internet. Although the Internet is a single packet-switched communication network, it is represented in Figure 1 as separate logical communication
20 networks (8,7,8,9,10 and 11).

The application web server (12) operates a clearing account facility (13) that has a clearing account corresponding to each one of the online casino websites (3a, 3b). Analogously, each online casino website (3a, 3b) includes a corresponding
25 credit account facility (14a, 14b) with a credit account corresponding to each player who participates in a game offered by the online casino. In the illustrated embodiment, therefore, the credit account facility (14a) has one player credit account associated with it, while credit account facility (14b) has two associated, but separate, player credit accounts.

30

The gaming server (2) operates under control of a stored server program (not shown) capable of enabling a predetermined number, say 8, of players to play an instance of a multiplayer game that will be referred to, for convenience, as "multiplayer slots". When the number of players reaches this predetermined
35 maximum number, the server program causes a further instance of the game of multiplayer slots to be initiated, the new instance of the multiplayer slots game

5 also being capable of accommodating a further 8 players. In this manner, the gaming server is capable, under stored server program control, to spawn as many separate instances of the game of multiplayer slots as required in order to accommodate a pool of players who desire to play the multiplayer slots game, in groups of a maximum of 8. Each instance of the multiplayer slots game spawned
10 in this manner is treated as totally independent of the other instances of the game.

The online casino websites (3a, 3b) enable a player who desires to join the game of multiplayer slots to request, by means of one of the computer workstations (4),
15 participation in the game and, once admitted to an instance of the multiplayer slots game, to place a wager on a turn of that instance of the game. Each participating player in an instance of the game is presented with an identical graphical user interface ("GUI") on his respective computer workstation (4) by a separate stored program (not shown) in the workstation. The GUI presents to the
20 player, on the display monitor (5), a display of the reels of a three-reel video slots game. It will be appreciated that the game of video slots is, as is well known in the art, essentially a single-player game. The GUI also presents to the player a display of 7 further sets of reels of a three-reel video slots game. These further sets of reels correspond to the instances of the single-player video slots game
25 played by the other participating players in the particular instance of the multiplayer slots game. The other players in the same instance of the multiplayer game use these additional sets of reels only for presentation purposes in order that each participating player can follow the progress of all the instances of the video slots games played. The GUI clearly distinguishes a player's own set of
30 reels, or instance of the single-player game from those of the other participating players. Each set of reels is identified by a corresponding name, which might be a name assumed by the participating player for participation in the multiplayer slots game, or the participating player's own name.

35 The stored workstation program (not shown) also enables a participating player to place a wager on a turn of the multiplayer slots game, while the application

5 web server (12) is capable of determining whether any wager placed by any participating player on a turn of the game is successful or unsuccessful according to the rules of the multiplayer game. The stored program in the gaming server (2) also maintains a dynamic register (16) of all players admitted to, and actively participating in, all the spawned instances of the multiplayer slots game from time
10 to time, together with data representative of a corresponding portal (3a, 3b) through which each participating player accessed the multiplayer slots game. The dynamic register (16) also contains data representative of an instance of the multiplayer game in which the player is participating. The application web server (12) also settles the wagers of the participating players after completion of every
15 turn of any instance of the multiplayer game.

Each computer workstation (4) is a conventional personal computer operating under a Windows 2000 operating system, which is well known and commercially available from the Microsoft Corporation of Seattle, Washington, USA. The
20 gaming server (2) operates under the Windows NT operating system. The stored workstation program (not shown) and the corresponding stored server program will be referred to, for convenience, as a client process and a server process, respectively. The server process generates one or more random events that determine the outcome of the multiplayer slots game, such as determining the
25 outcomes of spins of the reels in the various single-player video slots games of the participating players. The client process of any particular computer workstation (4) obtains the result of the random events from the gaming server (2), along the communication network (9) and displays the outcome of the game on the display monitor (5) of the workstation in an intelligible manner, by causing
30 the player's set of slots reels to spin and to come to rest at a position corresponding to the outcome. In order to play the game of multiplayer slots from any particular computer workstation (4), the client process (not shown) must first be downloaded to that computer workstation from the gaming server (2) or, alternatively from a separate web server (not shown), and then installed on the
35 workstation.

5 In use, a player wishing to participate in the game of multiplayer slots uses a computer workstation (4) to access an online casino website (3a, 3b) of his choice. A flow diagram outlining the steps required in order for a player to participate in an instance of the game is indicated in Figure 2. The player is presented with an icon (not shown) on the GUI on his computer workstation (4),
10 which the user can activate in order to request participation in the multiplayer slots game. The user's request for participation (100) is passed by the online casino website (3a, 3b) to the gaming server (2), which adjudicates and processes the request in the following manner:

- 15 1. if all existing instances of the multiplayer slots game are currently being played by 8 players, the existing instances of the game are all fully occupied and the would-be player cannot be admitted to any instance of the game (101). The user is notified of the situation and prompted to join a waiting list of would-be players (102);
- 20 2. if any one of the existing instances of the multiplayer slots game does have a vacancy, the would-be player is admitted to that instance of the game (103) or, if previously on the waiting list, is removed therefrom and admitted to that instance of the game. An appropriate multiplayer slots
25 GUI is presented to the newly-admitted player (at 104) to allow him to play the game and to place wagers thereon;
3. the register of active participating players is updated (at 105) to include the details of the newly-admitted player, together with data representative of
30 the online casino from which the player was admitted to the game, as well as the particular instance of the game to which he has been admitted;
4. when the waiting list of would-be players has grown sufficiently large, say
35 4 or 5 would-be players (106), the gaming server spawns a new instance of the game (107) to accommodate the would-be players in the waiting list, and the list is flushed (108); and

5

5. the register of active participating players is updated (105) to include the details of all the newly-admitted players in the newly-spawned instance of the game, together with data representative of the online casino from which the players were admitted to the instance of the game, as well as the particular instance of the game to which the players have been admitted.

10

Any player is able to leave the instance of the multiplayer slots game in which he is participating at any time upon completion of a turn of that instance of the game. A flow diagram outlining the steps required for a player to leave an existing instance of the game is outlined in Figure 3. When a participating player leaves an instance of the multiplayer slots game (200), the player's departure results in the system (1) undertaking the following actions:

15

- 20 1. the GUI corresponding to the multiplayer slots game on the computer workstation is replaced by one allowing the player to select another casino game to play (201);
- 25 2. the departing player's details are removed from the register of active participating players (202); and
- 30 3. the remaining instances of the game are analysed in order to collapse any sparsely populated instances of the game and to consolidate the participating players in these instances into a single more densely-populated instance of the game (203).

The participating players in any instance of the game all place wagers on a turn of the multiplayer slots game, as described above. Once the turn of the multiplayer slots game has been completed, the application web server (12) determines which of the participating players is the winner of the turn according to the rules of the game and settles the wagers placed by the participating

35

20

5 players on that turn of the instance of the game as follows, as indicated in Figure 4:

- 10 1. an online casino website (3a, 3b) associated with each participating player who has made a wager on the turn of the multiplayer game notifies the gaming server (2), at (300). Each of the online casino websites (3a, 3b) then debits the individual credit account of its associated player by an amount equivalent to the magnitude of that player's wager (301);
- 15 2. the clearing account of an online casino website (3a, 3b) associated with each player who has made a wager on the turn of the game is then debited by an amount equivalent to the magnitude of that player's corresponding wager (302);
- 20 3. the clearing account of an online casino website (3a, 3b) associated with the player who has made the successful wager (303) on the turn of the game is credited by an amount equivalent to the total of all the wagers inclusive of the successful wager (304); and
- 25 4. the gaming server (2) also notifies the online casino website (3a, 3b) associated with the successful player (305) and that online casino website credits the individual credit account of the successful player by an amount equivalent to the total of all the wagers inclusive of the successful wager (306).

30 The rules of the multiplayer game are outlined below, according to different variations of the game:

35

5 1. "Pot Slot" Variation

- a flow diagram outlining the steps of this variation of the multiplayer game is outlined in Figure 5;
- each player wagers a same amount, say \$x, on a turn of the multiplayer game. All the player wagers are accumulated in an accumulation account ("the pot"). With eight participating players, the pot will be \$8x;
- once the participating players have all wagered, the sets of slot reels of all the participating players in the instance of the game spin in sequence, while being visible to all players;
- successful results of a reel spin are awarded the following points values:

	<u>Result</u>	<u>Points</u>
	3 x Blue 7	1000
20	3 x Red 7	80
	3 x Any 7	40
	3 x Bar3	30
	3 x Bar2	20
	3 x Bar1	10
25	3 x Cherry	10
	3 x AnyBar	5
	Any 2 Cherry	5
	Any 1 Cherry	2

- the participating player whose result corresponds to the highest points value wins the pot;
- if there are two or more participating players whose results correspond to the highest points value, the outcome of the turn of the multiplayer game is a tie. Similarly, if there is no participating player who obtains a successful result, the outcome of the turn of the multiplayer game is a tie;

- 5
- In the event of a tie, the pot is carried over ("carryover") to the next turn of the multiplayer game;
 - In the event of a carryover, each participating player is required to wager a further \$x, which is added to the pot;
 - the participating player whose result corresponds to the highest points
- 10
- value wins the pot;
 - the pot is carried over a maximum of five times;
 - after the fifth carryover, in the event of a further tie, the pot is shared equally between the players whose results correspond to the highest points values.
- 15

2. "Pot Slot with Community Feature" Variation

- a flow diagram outlining the steps of this variation of the multiplayer game is outlined in Figure 6;
 - this variation is the same as the Pot Slot variation of the multiplayer game outlined above with the exception that, in the event of any player obtaining a successful result that is one of the top three outcomes, each participating player unconditionally wins a payout according to the following pay table:
- 20

25

<u>Result</u>	<u>Winning Player</u>	<u>Remaining Players</u>	
3 x Blue 7	\$ 3 000	\$500	each
3 x Red 7	\$ 500	\$50	each
30 3 x Any 7	\$ 50	\$5	each

- the contest for the pot continues independently of the above payouts, as described above.
- 35

5 3. "Winner Take All" Variation

- a flow diagram outlining the steps of this variation of the multiplayer game is outlined in Figure 7;
- each player wagers a same amount, say \$x, on a turn of the multiplayer game. All the player wagers are accumulated in a remuneration pool. With
10 eight participating players, the remuneration pool will be \$8x;
- once the participating players have all wagered, the set of slot reels of all the participating players in the instance of the game spin in sequence, while being visible to all players;
- 15 • successful results of a reel spin are awarded the following payouts:

	<u>Result</u>	<u>Payout</u>
	3 x Blue 7	\$1000
20	3 x Red 7	\$80
	3 x Any 7	\$40
	3 x Bar3	\$30
	3 x Bar2	\$20
	3 x Bar1	\$10
25	3 x Cherry	\$10
	3 x AnyBar	\$5
	Any 2 Cherry	\$5
	Any 1 Cherry	\$ 2

- 30 • the payouts corresponding to all successful results are accumulated in a prize pool and the participating player with the highest-paying successful result wins the prize pool;
- if there are two or more participating players with the same highest-paying successful results, the outcome of the turn of the multiplayer game is a tie.

5 Similarly, if there is no participating player who obtains a successful result, the outcome of the turn of the multiplayer game is a tie;

- in the event of a tie, the prize pool is carried over to the next turn of the multiplayer game;
- in the event of a carryover, each participating player is required to wager a further \$x, which is added to the remuneration pool, and payouts of all successful results in the carryover spin are accumulated in the prize pool;
- 10 • the participating player with the highest-paying successful result in the carryover spin wins the prize pool;
- there is a maximum of five consecutive carryovers;
- 15 • after the fifth carryover, in the event of a further tie, the prize pool is shared equally between the players with the highest paying successful results;
- the remuneration pool is paid over to an operator of the multiplayer gaming apparatus in order to fund the payouts won by the participating players.
- 20

4. "Community Slot" Variation

- a flow diagram outlining the steps of this variation of the multiplayer game is outlined in Figure 8;
- 25 • each player wagers a same amount, say \$x, on a turn of the multiplayer game. All the player wagers are accumulated in a remuneration pool. With eight participating players, the remuneration pool will be \$8x;
- once the participating players have all wagered, the sets of slot reels of all the participating players in the instance of the game spin in sequence, while being visible to all players;
- 30 • successful results of a reel spin are awarded the following payouts:

5	<u>Result</u>	<u>Payout</u>
	3 x Blue 7	\$10000
	3 x Red 7	\$80
	3 x Any 7	\$40
10	3 x Bar3	\$30
	3 x Bar2	\$20
	3 x Bar1	\$10
	3 x Cherry	\$10
	3 x AnyBar	\$5
15	Any 2 Cherry	\$5
	Any 1 Cherry	\$ 2

- any player obtaining a successful result wins the corresponding payout, with the exception of the maximum payout, which is divided equally among all the participating players.
- the remuneration pool is paid over to an operator of the multiplayer gaming apparatus in order to fund the payouts won by the participating players.

25

5. "Community Slot – Even Distribution" Variation

- a flow diagram outlining the steps of this variation of the multiplayer game is outlined in Figure 9;
- each player wagers a same amount, say \$x, on a turn of the multiplayer game. All the player wagers are accumulated in a remuneration pool. With eight participating players, the remuneration pool will be \$8x;
- once the participating players have all wagered, the sets of slot reels of all the participating players in the instance of the game spin in sequence, while being visible to all players;

35

26

- 5 • successful results of a reel spin are awarded the following payouts:

	<u>Result</u>	<u>Payout</u>
10	3 x Blue 7	\$10000
	3 x Red 7	\$80
	3 x Any 7	\$40
	3 x Bar3	\$30
	3 x Bar2	\$20
15	3 x Bar1	\$10
	3 x Cherry	\$10
	3 x Any Bar	\$5
	Any 2 Cherry	\$5
	Any 1 Cherry	\$2

- 20 • the payouts corresponding to all successful results are accumulated in a prize pool and the prize pool is divided equally among the participating players;
- 25 • the remuneration pool is paid over to an operator of the multiplayer gaming apparatus in order to fund the payouts won by the participating players.

6. "Community Slots - 50/50" Variation

- 30 • a flow diagram outlining the steps of this variation of the multiplayer game is outlined in Figure 10;
- each player wagers a same amount, say \$x, on a turn of the multiplayer game. All the player wagers are accumulated in a remuneration pool. With eight participating players, the remuneration pool will be \$8x;

- 5
- once the participating players have all wagered, the sets of slot reels of all the participating players in the instance of the game spin in sequence, while being visible to all players;
 - successful results of a reel spin are awarded the following payouts:

10

<u>Results</u>	<u>Payout</u>
3 x Blue 7	\$10000
3 x Red 7	\$80
3 x Any 7	\$40
15 3 x Bar3	\$30
3 x Bar2	\$20
3 x Bar1	\$10
3 x Cherry	\$10
3 x AnyBar	\$5
20 Any 2 Cherry	\$5
Any 1 Cherry	\$ 2

- 25
- the payouts corresponding to all successful results are accumulated in a prize pool. If there is only one participating player with a successful result, that player wins 50% of the prize pool, while the balance is divided equally between the remaining participating players. If there are two participating players with successful results, those players each win 35% of the prize pool, while the remaining 30% of the pool is divided equally between the remaining participating players. If there are three or more participating
- 30
- players with successful results, the prize pool is divided equally between the winning players only;
 - the remuneration pool is paid over to an operator of the multiplayer gaming apparatus in order to fund the payouts won by the participating players.

35

5

7. "Community Slot - 50 Pooled" Variation

- a flow diagram outlining the steps of this variation of the multiplayer game is outlined in Figure 11;
- 10 • each player wagers a same amount, say \$x, on a turn of the multiplayer game. All the player wagers are accumulated in a remuneration pool. With eight participating players, the remuneration pool will be \$8x;
- once the participating players have all wagered, the sets of slot reels of all the participating players in the instance of the game spin in sequence,
- 15 • while being visible to all players;
- successful results of a reel spin are awarded the following payouts:

	<u>Result</u>	<u>Payout</u>
20	3 x Blue 7	\$10000
	3 x Red 7	\$80
	3 x Any 7	\$40
	3 x Bar3	\$30
	3 x Bar2	\$20
25	3 x Bar1	\$10
	3 x Cherry	\$10
	3 x AnyBar	\$5
	Any 2 Cherry	\$5
	Any 1 Cherry	\$ 2

30

- half the payout attributable to a successful result is awarded to the corresponding participating player, while the balance is accumulated in a prize pool, which is divided equally among all the participating players;

- 5 • the remuneration pool is paid over to an operator of the multiplayer gaming apparatus in order to fund the payouts won by the participating players.

10 8. "Best of 5" Variation

- a flow diagram outlining the steps of this variation of the multiplayer game is outlined in Figure 12;
- each player wagers a same amount, say \$x, on a turn of the multiplayer game. All the player wagers are accumulated in a pot. With eight participating players, the pot will be \$8x;
- once the participating players have all wagered, the sets of slot reels of all the participating players in the instance of the game spin in sequence, while being visible to all players;
- 20 • successful results of a reel spin are awarded the following point values:

	<u>Result</u>	<u>Points</u>
	3 x Blue 7	1000
25	3 x Red 7	80
	3 x Any 7	40
	3 x Bar3	30
	3 x Bar2	20
	3 x Bar1	10
30	3 x Cherry	10
	3 x Any Bar	5
	Any 2 Cherry	5
	Any 1 Cherry	2

- 5 • each participating player is entitled to five turns of the single-player slots game;
- a player accumulates points corresponding to all successful results obtained during the five turns of the single-player slots game;
- 10 • when each participating player has completed their respective five turns, the player with the highest accumulated points value wins the pot;
- if there are two or more participating players with the same highest accumulated points value, the outcome of the turn of the multiplayer game is a tie;
- 15 • in the event of a tie, the pot is shared equally between the players with the highest accumulated points values.

9. "Chicken" Variation

- 20 • a flow diagram outlining the steps of this variation of the multiplayer game is outlined in Figure 13;
- each player wagers a same amount, say \$x, on a turn of the multiplayer game. All the player wagers are accumulated in a pot. With eight participating players, the pot will be \$8x;
- 25 • each participating player is entitled to three turns of the single-player slots game, which make up a single turn of the multiplayer game;
- once the participating players have all wagered, the sets of slot reels of all the participating players spin simultaneously in the first turn of the single-player game, while not being visible to all players;
- 30 • successful results of a reel spin are awarded the following points values:

	<u>Result</u>	<u>Points</u>
	3 x Blue 7	1000
35	3 x Red 7	80

5	3 x Any 7	40
	3 x Bar3	30
	3 x Bar2	20
	3 x Bar1	10
	3 x Cherry	10
10	3 x Any Bar	5
	Any 2 Cherry	5
	Any 1 Cherry	2

- 15 • in the second turn of the single-player game, each player is required to take one of three actions, namely to "Quit", or to "Bet", as follows:

 - "Quit" -- the participating player withdraws from the game and forfeits his prior wager;
 - "Bet" -- the participating player survives and makes an additional wager of \$1,50, and re-spins his reel set;
- 20 • in the third turn of the single-player game, each player who has not previously Quit is again required to Quit or to Bet, as described above;

 - the surviving player with a highest-ranking successful result wins the pot;
 - if there are two or more surviving players with the same highest-ranking
- 25 successful results, the outcome of the turn of the multiplayer game is a tie;

 - in the event of a tie, the pot is shared equally between surviving players with the same highest-ranking successful result.

30 10. "Free Spins" Variation

- each reel of the single-player slots game contains an indicium referred to as a "free spins" symbol (not shown);
- when this indicium occurs in a result of a player's turn of the multiplayer
- 35 slots game, the result is deemed to be a bonus result and the player is

5 permitted to enter the next turn of the multiplayer game free of charge, without the necessity of first placing a wager. Alternatively, that participating player's wager on the next turn of the multiplayer game is funded by the operator of the multiplayer gaming apparatus

10

The wagers placed by the players participating in the multiplayer slots game are made with credit purchased by such players prior to their participation in the game. For this purpose, each online casino (3a, 3b) includes credit-dispensing means (not shown) capable of dispensing credit to any player who wishes to participate in the game. The player may purchase credit by means of conventional credit or debit card payment facilities that are well known in the art and which will not be described here in detail. Whenever a player purchases credit from the credit-dispensing means, the corresponding online casino (3a, 3b) credits that player's credit account with an amount equivalent to the quantity of credit purchased by the player.

20

The above embodiment of the invention does not provide any compensation for an operator of the multiplayer gaming system (1) who provides the participating players with a facility to play the multiplayer slots game, or for the online casino websites (3a, 3b) that make their players available to the gaming server (2) for establishment of the multiplayer slots game. In a variation of the above embodiment, the application web server (12) withholds a portion of the pot or, alternatively, a fixed amount, on each turn of the multiplayer slots game as a rake for the benefit of the operator of the gaming server (2) and the online casino websites (3a, 3b). A portion of the rake is credited to the clearing account of each online casino (3a, 3b) as a function of the proportion of players participating in the instance of the multiplayer game through that particular casino website. In this variation of the embodiment, the clearing account of the casino (3a, 3b) associated with the player who has made a successful wager on the turn of the game is credited with an amount equivalent to the total of all the wagers inclusive of the successful wager, less the amount of the rake. Analogously, the credit

35

5 account of the player who has made the successful wager is credited by an amount equivalent to the total of all the wagers inclusive of the successful wager, less the rake.

10 It will be appreciated by those skilled in the art that the invention permits implementation of a multiplayer game out of separate instances of a traditionally single-player game played by each one of a plurality of players. This is achieved by combining an adjudication process together with the separate instances of the single-player game that provides for the determination of a winner, or joint winners, of the multiplayer game as a function of the individual outcomes of the
15 multiple separate instances of the single-player game.

The resulting multiplayer game is an exciting one that can cause emotions of the participating players to swing widely. For example, when a player obtains a high-ranking successful outcome during a turn of the multiplayer game, his desire is
20 that all subsequent players obtain unsuccessful or lower-ranking outcomes that will not affect that player's chance of winning the turn of the multiplayer game. If, on the other hand, a subsequent participating player obtains a better outcome, then the preceding player's desire will change to one that another player will obtain a matching result, thereby resulting in a carryover that will provide the first
25 player with another chance of winning the turn of the multiplayer game.

It will be further appreciated that such an arrangement where players from several online casino websites (3a, 3b) are pooled for the purpose of establishing a multiplayer game, requires the use of a clearing account facility to manage and
30 process the flow of credit between the various online casinos from which the pool of players are drawn.

Numerous modifications are possible to this embodiment without departing from the scope of the invention. Foremost, the single-player game on which the
35 multiplayer game is based may be a different game, such as video poker, for example, or roulette. The single-player game of video poker has a hierarchy of

5 successful outcomes and may be used in place of video slots without any
substantial changes to the rules of the multiplayer game described above. Every
participating player starts an instance of the single-player video poker game with
an identical hand and each player is required to decide which cards to hold in his
own hand. Roulette is different in that there is no hierarchy of outcomes but can,
10 nevertheless, be used as the underlying single-player game by providing each
participating player with a same initial stake, and selecting the winner of the
multiplayer game to be the player who registers the greatest increase, or smallest
loss, of initial stake in a turn of the game of roulette.

15 Further, other variations to the rules of the multiplayer game are possible, other
than those described above. For example, the "Community Slot" variation can be
altered to provide that the payouts corresponding to the three highest-ranking
successful results are divided equally among all the participating players, instead
of only the maximum payout. Additionally, the "Best of 5" variation may be
20 modified to provide that a winner of a turn of the multiplayer slots game is not the
player with a highest accumulates points value over five turns of the single-player
slots game, but rather the winner who obtains a highest-ranking successful result
in any of the five turns of the single-player slots game. Finally, the "Chicken"
variation may be modified to provide a player with three choices in the second
25 and third turns of the single-player game, namely Quit, Bet and Raise. Under the
Bet option, the participating player survives by making an additional wager of
\$1,50, but does not re-spin his reel set, while in the Raise option, the participating
player survives by making an additional wager of \$3,00 and is entitled to re-spin
his reel set.

30 Still further, the multiplayer gaming system (1) need not be an on-line
embodiment as described above, but may, for example, be an embodiment
suitable for deployment in a land-based establishment such as a casino. In this
instance, the multiplayer gaming system (1) may be deployed as a bank of
35 adjacent player stations, each linked to the administration facility (12) by means
of a local area network.

5

Yet further, it is also possible to determine the winner or winners of a turn of the multiplayer game in a different manner to that described above. For instance, the gaming server (2) generates a first random number between 1 and 8, which represents a number of winners of the turn of the multiplayer game. This is followed by a random selection from among the participating players, of a group of players equal in number to the first random number generated by the gaming server (2). This group of participating players constitutes the individuals who are the winners of the particular turn of the game. Although this method of selecting a winner or winners of the turn of the game is not based strictly on the results of separate instances of a game of video slots, the user interface and simulation presented to the participating players may still be in the form of a video slots game as described above. For variations of the multiplayer game that involve carryovers, the gaming server (2) can generate a second random number which represents the number of ties in the particular turn of the multiplayer game that will occur in the simulations of the participating players. As an alternative, the winner or winners may be determined by reversing the above procedure, namely by first randomly selecting the number of ties and then randomly selecting the number of winners in each turn of the multiplayer game.

It is not necessary or essential that the gaming server (2) maintain a waiting list of would-be players from which players are admitted to vacant playing positions in existing instances of the multiplayer game, and according to which new instances of the multiplayer game are spawned when all existing instances are fully occupied. As an alternative, a desired number of instances of the game may be spawned ab initio, with players able to enter and leave any instance of the multiplayer game at will, thereby dispensing with the waiting list altogether. It is also not necessary for separate sparsely-populated instances of the multiplayer game be collapsed to consolidate participating players in these instances of the game into a single more densely-populated instance of the multiplayer game. Sparsely populated instances of the multiplayer game function as effectively as

36

5 fully populated ones. The online casino websites (3a, 3b) need not offer the players other casino games for play.

Additionally, each spawned instance of the multiplayer game, or slots room, may be uniquely named, with naming rights being awarded to participating players
10 who are deemed to be high rollers, thus increasing the attractiveness of the system (1) to prospective players. A high roller may also rent one or more slots rooms from an operator of the multiplayer gaming system (1), with revenue arising from the slots rooms being shared between the operator and the high roller. This mode of operation provides an incentive to the high roller to promote
15 his slots rooms and to create virtual slots communities in order to maximise revenue therefrom.

It is also possible for the highest-ranking outcome of the single-player game to be linked to a payout that is a progressive jackpot, incremented by a proportion of
20 each player wager.

Still further, the functions of the gaming server (2) and the application web server (12) may be consolidated and performed by a single processor. The application web server (12) can be arranged to monitor the individual credit account
25 balances of the participating players at the online casino websites (3a and 3b) and to cause the gaming server (2) to terminate participation in the game of any player whose credit account balance drops below a predetermined minimum threshold. Yet further, the administration facility may also require each clearing account associated with an on-line casino website to exceed a prescribed
30 minimum balance at all times, and for the administration facility (12) to terminate participation in the game of all players who have accessed the game through an online casino website whose associated account balance falls below the prescribed minimum balance. Yet further, the credit dispensing means (not shown) may be a centralised credit dispensing means, instead of a distributed
35 one available through each online casino website (3a, 3b). Finally, a portal need not be an online casino website where a variety of different games are offered to

5 a player, but rather a slots room where multiplayer slots is the only game available to would-be players.

10 The technical problem solved by this invention is to enable implementation of multiplayer games, such as those mentioned above, which are based on traditionally single-player games, drawing and pooling players from different, possibly competing, entities such as online casinos or other groups such as sports betting organisations and the like. The invention performs dynamic load management by spawning new instances of the multiplayer game and collapsing and merging sparsely populated instances of the game to accommodate
15 changing levels of player demand.

The invention therefore provides a novel apparatus and method for establishing and conducting the progress of a multiplayer game that is based on multiple instances of a traditionally single-player game played by each one of a plurality of
20 players.

2/13




Figure 2

3/13




Figure 3

4/13




Figure 4

5/13

"Pot Slot" Variation




Figure 5

6/13

"Pot Slot With Community Feature" Variation




Figure 6

7/13

"Winner Take All" Variation




Figure 7

8/13

"Community Slot" Variation




Figure 8

9/13

"Community Slot – Even Distribution" Variation




Figure 9

10/13

"Community Slot - 50/50" Variation




Figure 10

11/13

"Community Slot - 50/Pooled" Variation"




Figure 11

12/13

"Best of Five" Variation"




Figure 12

13/13

"Chicken" Variation




Figure 13

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.